

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 26 Oct 2017

Yarding Change 2940
40

comparison date 19/10/2017

It was a good quality yarding with a good selection of young cattle to suit both the trade and feeder orders along with a good supply of grown steers in prime condition. There was a fair selection of cows, however, grown heifers were in limited supply.

Young cattle to the trade were 6c to 10c dearer as vealers sold to 316c/kg. Prime steer yearlings sold from 275c to 312c, while the prime heifer yearlings sold to 293c/kg. Light weight feeders were up to 25c dearer, while the heavier weight steer and heifer feeders were 12c/kg dearer. Feeder steers sold from 278c to 334c while the feeder heifers sold from 251c to 304c/kg. Young cattle to the restockers were also dearer and the young steers sold to 390c/kg.

Medium weight grown steers were firm while the heavy weights were 7c/kg easier. The prime medium and heavy weights sold from 275c to 295c/kg. Grown heifers were 6c easier and sold to 270c/kg. Cows were firm with the 2 scores selling from 165c to 202c to the processors and 247c/kg to the restockers. The better 3 and 4 score cows sold from 190c to 235c with the prime heavy weights averaging at 225c/kg. Bulls sold to 259c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	1	382.0	- 382.0	382.0	N/Q	721	- 721	721	420	- 420	420
	RS	C	2	12	344.0	- 344.0	344.0	N/Q		-		499	- 499	499
				13	344.0	382.0			721	721		420	499	
Vealer Steer														
0-200		C	2	1	348.0	- 348.0	348.0	N/Q	669	- 669	669	644	- 644	644
	RS	C	2	23	320.0	- 390.0	356.7	-2		-		432	- 657	509
		C	3	1	316.0	- 316.0	316.0	N/Q	608	- 608	608	616	- 616	616
200-280	RS	C	2	14	326.0	- 348.0	340.6	-19		-		712	- 818	771
	FD	C	3	6	315.0	- 315.0	315.0	N/Q		-		866	- 866	866
280-330		C	2	5	289.0	- 289.0	289.0	N/Q	556	- 556	556	824	- 824	824
330+		C	3	7	310.0	- 310.0	310.0	N/Q	564	- 564	564	1318	- 1318	1318
	RS	C	3	1	303.0	- 303.0	303.0	N/Q		-		1106	- 1106	1106
				58	289.0	390.0			556	669		432	1318	
Vealer Heifer														
0-200	RS	C	2	40	277.0	- 372.0	303.5	26		-		351	- 585	483
		C	2	2	250.0	- 250.0	250.0	N/Q	490	- 490	490	488	- 488	488
200-280		C	2	21	270.0	- 306.0	292.3	15	519	- 600	569	608	- 750	696
	FD	C	2	11	306.0	- 306.0	306.0	N/Q		-		750	- 750	750
	RS	C	2	30	300.0	- 319.0	315.8	N/Q		-		750	- 825	762
		C	3	7	310.0	- 310.0	310.0	30	596	- 596	596	667	- 667	667
280-330	FD	C	2	2	259.0	- 259.0	259.0	N/Q		-		764	- 764	764
		C	3	8	300.0	- 305.0	303.1	16	566	- 577	573	855	- 885	871
	RS	C	3	5	275.0	- 275.0	275.0	N/Q		-		894	- 894	894
330+		C	3	20	290.0	- 310.0	305.7	22	547	- 585	572	1001	- 1121	1095
	RS	D	3	5	223.0	- 223.0	223.0	N/Q		-		1305	- 1305	1305
				151	223.0	372.0			490	600		351	1305	
Yearling Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
200-280		C	2	9	324.0	- 324.0	324.0	N/Q	623	- 623	623	794	- 794	794
280-330	FD	C	2	42	290.0	- 332.0	293.7	18	-			943	- 956	948
	RS	C	2	97	310.0	- 364.0	336.8	25	-			901	- 1128	1053
330-400	FD	C	2	213	288.0	- 334.0	310.3	32	-			1001	- 1252	1129
		C	2	18	280.0	- 280.0	280.0	N/Q	528	- 528	528	1078	- 1078	1078
	FD	C	3	18	303.0	- 304.0	303.3	18	-			1167	- 1170	1168
		C	3	3	312.0	- 312.0	312.0	21	589	- 589	589	1139	- 1139	1139
	RS	C	3	6	326.0	- 326.0	326.0	N/Q	-			1125	- 1125	1125
400+	FD	C	2	171	282.0	- 322.0	304.8	10	-			1179	- 1424	1342
	FD	C	3	146	278.0	- 318.0	294.0	14	-			1216	- 1415	1321
		C	3	39	275.0	- 310.0	289.8	6	519	- 574	539	1186	- 1449	1338
				762	275.0	364.0			519	623		794	1449	
Yearling Heifer														
0-200	RS	C	2	12	286.0	- 286.0	286.0	N/Q	-			529	- 529	529
200-280	RS	D	2	2	228.0	- 228.0	228.0	N/Q	-			559	- 559	559
280-330	RS	C	2	11	280.0	- 280.0	280.0	24	-			826	- 826	826
	FD	C	2	26	275.0	- 298.0	285.7	14	-			849	- 929	906
	FD	C	3	1	292.0	- 292.0	292.0	N/Q	-			949	- 949	949
330-400	FD	C	2	131	260.0	- 304.0	295.7	24	-			949	- 1189	1080
	FD	C	3	10	269.0	- 280.0	278.9	3	-			955	- 1078	1066
		C	3	44	270.0	- 293.0	278.0	-5	502	- 553	524	959	- 1143	1033
400+	FD	C	2	28	251.0	- 289.0	283.4	17	-			1142	- 1301	1221
	FD	C	3	94	265.0	- 303.0	284.1	11	-			1173	- 1379	1275
	RS	C	3	5	264.0	- 264.0	264.0	N/Q	-			1096	- 1096	1096
		C	3	79	250.0	- 290.0	273.4	10	481	- 537	513	1109	- 1348	1232
				443	228.0	304.0			481	553		529	1379	
Grown Steer														
0-400	RS	C	2	6	255.0	- 255.0	255.0	N/Q	-			829	- 829	829
	FD	C	2	1	285.0	- 285.0	285.0	N/Q	-			1069	- 1069	1069
		C	4	2	277.0	- 277.0	277.0	N/Q	513	- 513	513	623	- 623	623
400-500	FD	C	2	13	285.0	- 291.0	290.5	25	-			1211	- 1353	1342
	FD	C	3	11	265.0	- 287.0	281.0	5	-			1259	- 1363	1335
	FD	C	4	15	276.0	- 276.0	276.0	N/Q	-			1242	- 1242	1242
		C	4	12	277.0	- 278.0	277.8	1	515	- 523	516	1343	- 1348	1347
500-600	FD	C	3	3	267.0	- 267.0	267.0	N/Q	-			1402	- 1402	1402
		C	3	3	248.0	- 248.0	248.0	-8	468	- 468	468	1302	- 1302	1302
	FD	C	4	24	273.0	- 283.0	278.0	N/Q	-			1420	- 1486	1453
		C	4	193	275.0	- 295.0	282.7	1	500	- 550	522	1432	- 1726	1547
600-750		C	4	64	250.0	- 289.0	277.8	-9	472	- 526	507	1563	- 2030	1797
750+		C	3	8	250.0	- 250.0	250.0	N/Q	472	- 472	472	1913	- 1913	1913
				355	248.0	295.0			468	550		623	2030	
Grown Heifer														
0-540		C	2	3	248.0	- 248.0	248.0	3	477	- 477	477	1104	- 1104	1104
	FD	C	2	16	247.0	- 261.0	256.6	8	-			1050	- 1188	1144

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	RS	C	2	1	255.0	- 255.0	255.0	N/Q	-			829	- 829	829
	FD	C	3	29	254.0	- 276.0	260.3	4	-			1156	- 1311	1198
		C	3	2	240.0	- 273.0	256.5	N/Q	462	- 525	493	1020	- 1215	1117
		C	4	44	253.0	- 270.0	256.5	-6	472	- 509	479	1261	- 1391	1312
	FD	C	4	14	253.0	- 253.0	253.0	N/Q	-			1328	- 1328	1328
		C	4	6	250.0	- 255.0	254.2	-5	464	- 472	465	1594	- 1613	1597
				115	240.0	276.0			462	525		829	1613	
Manufacturing Steer														
0-540	FD	D	3	26	235.0	- 264.0	246.2	N/Q	-			1116	- 1254	1169
	RS	D	3	10	262.0	- 262.0	262.0	28	-			1114	- 1114	1114
				36	235.0	264.0			0	0		1114	1254	
Cows														
0-400	RS	D	2	15	239.0	- 247.0	241.1	33	-			920	- 926	922
		D	2	4	195.0	- 195.0	195.0	-5	443	- 443	443	751	- 751	751
400-520		D	2	35	165.0	- 202.0	178.2	-8	375	- 459	405	677	- 850	752
	RS	D	2	23	226.0	- 226.0	226.0	7	-			983	- 983	983
	RS	D	3	8	213.0	- 213.0	213.0	N/Q	-			969	- 969	969
		D	3	32	190.0	- 226.0	216.7	N/C	404	- 481	461	903	- 1062	1001
		D	4	9	222.0	- 226.0	222.4	-5	453	- 461	454	1077	- 1096	1079
520+		D	3	32	212.0	- 223.0	216.6	2	451	- 475	461	1129	- 1198	1163
		D	4	107	215.0	- 235.0	225.0	1	422	- 452	436	1129	- 1562	1325
		D	5	1	218.0	- 218.0	218.0	N/Q	428	- 428	428	1908	- 1908	1908
				266	165.0	247.0			375	481		677	1908	
Bulls														
0-450		C	2	4	233.0	- 270.0	242.3	3	448	- 519	466	990	- 1067	1009
	RS	C	2	16	251.0	- 280.0	274.6	-4	-			826	- 966	852
450-600	RS	C	2	2	241.0	- 241.0	241.0	N/Q	-			1097	- 1097	1097
		C	2	3	252.0	- 252.0	252.0	25	476	- 476	476	1222	- 1222	1222
600+		B	2	16	247.0	- 259.0	255.3	7	449	- 474	466	1890	- 2979	2325
				41	233.0	280.0			448	519		826	2979	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.